


CLAIMS IN THE APPLICATION


1. (Original) A composition for inhibiting the ability of mosquitoes to sense a target within a three dimensional environmental space having a land or base surface area, the composition comprising:

(A) at least one inhibiting compound selected from the group consisting of

3-methyl-1-alkene-3-ols of the formula:



and 3-methyl-1-alkyn-3-ols of the formula:



wherein R^1 and R^2 are each independently a saturated or unsaturated aliphatic hydrocarbon group containing from 1 to about 12 carbon atoms, in

(B) a base vehicle comprising a porous or waxy medium,


the composition being capable of dispensing from the composition into the atmosphere of the three dimensional space the at least one inhibiting compound in an amount sufficient to provide an inhibiting effective amount of the at least one inhibiting compound sufficient to inhibit the ability of mosquitoes to sense a target in the three dimensional environmental space.

2. (Original) The composition according to Claim 1, wherein the composition is sufficient to provide in the atmosphere an inhibiting effective amount of the at least one inhibiting compound ranging from about 0.000005 g/hr/ft² to about 0.0004 g/hr/ft² per square footage of the land or base surface area of the three dimensional environmental space.
3. (Original) The composition according to Claim 1, wherein the composition is sufficient to provide in the atmosphere an inhibiting effective amount of the at least one inhibiting compound ranging from about 0.00015 g/hr/ft² to about 0.0002 g/hr/ft² per square footage of the land or base surface area of the three dimensional environmental space.
4. (Original) The composition according to Claim 1, wherein the at least one inhibiting compound is selected from nerolidol, 3-methyl-1-octen-3-ol, linalool and dehydrolinalool.
5. (Original) The composition according to Claim 1, wherein the at least one inhibiting compound comprises linalool.
6. (Withdrawn) The composition according to Claim 1, wherein the at least one inhibiting compound comprises dehydrolinalool.
7. (Original) The composition according to Claim 1, wherein the composition is capable of dispensing the at least *one* inhibiting compound into the atmosphere by a method selected from volatilization, evaporation, atomization and ionic dispersion of the at least one inhibiting compound.
8. (Withdrawn) The composition according to Claim 7, wherein the base vehicle is a porous medium and the composition is capable of dispensing the at least one inhibiting compound by fan-driven evaporation of the at least one inhibiting compound.


9. (Canceled)
10. (Canceled)
11. (Canceled)
12. (Withdrawn) The composition according to Claim 5, wherein the vehicle is a porous medium and the linalool in the composition is capable of being dispensed from the composition by fan-driven evaporation of the linalool.
13. (Canceled)
14. (Canceled)
15. (Canceled)
16. (Withdrawn) The composition according to Claim 6, wherein vehicle is a porous medium and the dehydrolinalool in the composition is capable of being dispensed from the composition by fan-driven evaporation of the dehydrolinalool.

17. (Withdrawn) The composition according to Claim 6, wherein the vehicle is a waxy medium and the dehydrolinalool in the composition is capable of being dispensed from the composition by fan-driven evaporation of the dehydrolinalool.
18. (Withdrawn) The composition according to Claim 6, wherein the dehydrolinalool in the composition is capable of being dispersed from the composition by atomization of the dehydrolinalool.
19. (Withdrawn) The composition according to Claim 6, wherein the dehydrolinalool in the composition is capable of being dispensed from the composition by ionic dispersion of the dehydrolinalool.
20. (New) A composition for inhibiting the ability of mosquitoes to sense a target within a three dimensional environmental space having a land or base surface area, the composition comprising:

(A) at least one inhibiting compound selected from the group consisting of 3-methyl 1-alken-3-ols of the formula



and 3-methyl-1-alkyn-3-ols of the formula:



wherein R^1 and R^2 are each independently a saturated or unsaturated

aliphatic hydrocarbon group containing from 1 to 12 carbon atoms, in

(B) a base vehicle that is a waxy medium.

the composition is capable of dispensing from the composition into the atmosphere of the three dimensional space the at least one inhibiting compound in an amount sufficient to provide an inhibiting effective amount of the at least one inhibiting compound sufficient to inhibit the ability of mosquitoes to sense a target in the three dimensional environmental space and the dispensing is by a method selected from fan-driven evaporation, atomization and ionic dispersion.

21. (New) A composition of claim 20 wherein the at least one inhibiting compound is linalool.
22. (New) A composition of claim 20 wherein the dispensing method is atomization.
23. (New) A composition of claim 20 wherein the dispensing method is ionic dispersion.
24. (New) A composition of claim 20 wherein the dispensing method is fan-driven evaporation.
25. (New) A composition of claim 21 wherein the dispensing method is atomization.
26. (New) A composition of claim 21 wherein the dispensing method is ionic dispersion.
27. New) A composition of claim 21 wherein the dispensing method is fan-driven evaporation.